



May 4, 2017

**Dale Dreiling, M.D.**  
**Laboratory Director**  
**Medical Associates Clinic-Monona**  
**107 South Page Street**  
**Monona, IA 52159**

**RE: CLIA # 16D0898178**

Dear Laboratory Director,

The purpose of this letter is to verify that the laboratory located at the above address is currently certified under the Clinical Laboratory Improvement (CLIA) program. The laboratory's current **Certificate of Ppmp is effective May 8, 2017 and expires May 7, 2019.**

This letter is sent due to the fact that CLIA certificates are not re-issued for regular certificate changes (i.e. demographics, ownership or laboratory director) or misplaced certificates and that we can no longer send out print screens from the Centers for Medicare and Medicaid Services (CMS) database.

This letter is proof that the above stated entity continues to participate in the CLIA program. You will receive a new certificate from CMS at the time of your next renewal.

If you have any questions, please contact our office at 800-421-IOWA or 319-335-4500 or email at [kristine-rotzoll@uiowa.edu](mailto:kristine-rotzoll@uiowa.edu) or [melinda-bochmann@uiowa.edu](mailto:melinda-bochmann@uiowa.edu).

Sincerely,

Melinda Bochmann, BA, MT(AMT)  
CLIA Compliance Specialist