



STATE HYGIENIC LABORATORY
Iowa's Environmental and
Public Health Laboratory
www.shl.uiowa.edu

November 1, 2018

Joshua Feldmann
Laboratory Director
Mercy Family Pharmacy Elm
1920 Elm Street
Dubuque, IA 52001

RE: CLIA # 16D0920780

Dear Laboratory Director,

The purpose of this letter is to verify that the laboratory located at the above address is currently certified under the Clinical Laboratory Improvement (CLIA) program. The laboratory's current **Certificate of Waiver is effective October 9, 2018 and expires October 8, 2020.**

This letter is sent due to the fact that CLIA certificates are not re-issued for regular certificate changes (i.e. demographics, ownership or laboratory director) or misplaced certificates.

This letter is proof that the above stated entity continues to participate in the CLIA program. You will receive a new certificate from CMS at the time of your next renewal.

If you have any questions, please contact our office at 800-421-IOWA or 319-335-4500 or email at kristine-rotzoll@uiowa.edu or melinda-bochmann@uiowa.edu.

Sincerely,

A handwritten signature in black ink that reads "Kristine Rotzoll". The signature is written in a cursive style with a large loop at the end of the last name.

Kristine Rotzoll, BS, MT (ASCP)
CLIA Compliance Manager
State Hygienic Laboratory
2490 Crosspark Road
Coralville, IA 52241